

Stellaris Elite

Vision Enhancement System


Stellaris ELITE™ Catalogue



BAUSCH+LOMB

Table of Contents

- 4 Vitrectomy Solutions for Any Practice
(Hardware and Accessories)
- 9 Illumination
- 10 Laser
- 12 Instrumentation
- 19 Vitreoretinal Tamponades
- 20 Anterior Capabilities
- 22 Product References



BL15455
Stellaris ELITE™
Combined system with integrated
laser with 1 Xenon + 1 Xenon Mercury
lamp assembly

BL14455
Stellaris ELITE™
Combined system (without the
integrated laser) with 1 Xenon + 1
Xenon-Mercury lamp assembly

BL2394 Stellaris ELITE™ Integrated Foot Pedal
BL4390 Foot Control Battery
BL4391 Foot Control Wall Charger
BL4393 Foot Control Charging Cradle
BL4394 Foot Control Power Cable

BL2300HD DMS (Digital Media System)  = 1



BL4363 Stellaris ELITE™ Zero Level Bottle
Hanger - Dual Bottle  = 1



BL3270 Fragmentation Handpiece  = 1



BL3170 Stellaris Phaco Handpiece  = 1



BL3320 Xenon Lamp Replacement  = 1

BL3321 Mercury Lamp Replacement  = 1



BL5275 20G Fragmentation Needle 15°
Single Use  = 6



STERILE 

BL5277 23G Fragmentation Needle 30°
Single Use  = 6



STERILE 

BL4364 Stellaris ELITE™/Stellaris Mayo Tray Adapter  = 1



Please contact your local representative to order a Mayo Tray.

NEW!

SE5523MVB / SE5523WVB
23G Combined Pack



Pack Includes:

- A 23G Bi-Blade® Vitrectomy cutter
- B 23G Wide angle or midfield light pipe
- C 23G Valved ESA system
- D 23G Scleral plugs



NEW!

SE5423MVB / SE5423WVB
23G Posterior Pack



Pack Includes:

- A 23G Bi-Blade® Vitrectomy cutter
- B 23G Wide angle or midfield light pipe
- C 23G Valved ESA system
- D 23G Scleral plugs



SE5525MVB / SE5525WVB
25G Combined Pack



Pack Includes:

- A 25G Bi-Blade® Vitrectomy cutter
- B 25G Wide angle or midfield light pipe
- C 25G Valved ESA system
- D 25G Scleral plugs



SE5425MVB / SE5425WVB
25G Posterior Pack



Pack Includes:

- A 25G Bi-Blade® Vitrectomy cutter
- B 25G Wide angle or midfield light pipe
- C 25G Valved ESA system
- D 25G Scleral plugs



SE5527MVB

27G Combined Pack



Pack Includes:

- A 27G Bi-Blade® Vitrectomy cutter
- B 27G Midfield light pipe
- C 27G Valved ESA system



SE5427MVB

27G Posterior Pack



Pack Includes:

- A 27G Bi-Blade® Vitrectomy cutter
- B 27G Midfield light pipe
- C 27G Valved ESA system



BL5280 **Dual Infusion Kit**




All the above packs come with the items below.

- 1 Cassette with AFI tube assembly
- 2 Second aspiration line
- 3 Infusion line
- 4 Drapes for Mayo tray, screen and remote control
- 5 Cassette stopper
- 6 Test chamber
- 7 Male luer coupler
- 8 Irrigation MICS sleeves x 2
- 9 Priming cup
- 10 Needle wrench
- 11 Pre-piercing spike assembly
- 12 Second stopcock



All the above packs come with the items below.

- 1 Cassette with AFI tube assembly
- 2 Second aspiration line
- 3 Infusion line
- 4 Drapes for Mayo tray, screen and remote control
- 5 Cassette stopper
- 6 Priming cup
- 7 Male luer coupler
- 8 Pre-piercing spike assembly
- 9 Second stopcock



Cutter for Stellaris Elite™ not compatible with Stellaris® PC

SE5623B 23G Bi-Blade® Vitrectomy cutter *



SE5625B 25G Bi-Blade® Vitrectomy cutter



SE5627B 27G Bi-Blade® Vitrectomy cutter



BL3394 Handle extension



NEW! freeflow
infusion

30.35 Freeflow infusion line *



Valved Trocars

BL5281 23G ESA Kit-valved (kit of 3)



BL5282 25G ESA Kit-valved (kit of 3)



BL5240 27G ESA Kit-valved (kit of 3)



BL5283 23G Single Trocar-Valved



BL5284 23G Replacement Valves



BL5285 25G Single Trocar-Valved



BL5286 25G Replacement Valves



BL5241 27G Single Trocar-Valved



Mid-Field

BL5823M 23G



BL5825M 25G



BL5827M 27G



Diffuse Wide Angle

BL 5823D 23G



BL 5825D 25G



Adjustable Chandelier

BL5234 23G

BL5235 25G



NEW!

25G Vivid Chandelier

BL5235S 25G



27G Vivid Chandelier *

BL5237S 27G



Stellaris ELITE™

With fully integrated laser

BL2272 Laser Upgrade Kit



- Laser module
- Laser mounting brackets
- E-stop and cabling
- Key switch and cabling (2) keys
- Laser drawer replacement cover
- Laser power input module
- Anterior module with laser support
- Laser to power input module cabling
- Laser optical patch cord
- CAN and power cabling
- Upgrade software kit
- External new labels Goggles

BL2394 Integrated Foot Pedal



Laser Filters



BL3236 Zeiss Fixed ESF  = 1

BL3240 Zeiss 2 Position Filter ESF  = 1

BL3245 Moeller Wedel Fixed ESF  = 1

BL3241 Leica 2 Position Filter ESF  = 1

BL3247 Leica 4-way Filter  = 1

BL3237 Leica Fixed ESF  = 1


BL3239 Laser Filter ESF Mount Topcon  = 1

BL3242 Adaptor for Fitting of 2 Position Filters  = 1

BL3246 LIO Replacement Bulb  = 1

BL3234 Laser On/Off Keys (1 set)  = 1

BL3235 Laser Safety Goggles  = 1

BL3244 Interlock Bypass Connector Kit
 - Microscope filter override key
 - Microscope filter connector
 - Laser room interlock connector  = 1

BL2298 TruFocus LIO Premiere™ with LED illumination



BL2296 Auxiliary Footpedal for LIO Use



Directional™ Laser Probe


55.26.20G
 55.26.23 23G
 55.26.25, 55.26.25S 25G



STERILE

NEW!

55.26.27 27G



Flexible Tapered Laser Probe

55.25.23 23G
 55.25.25 25G



STERILE



Storz® Ophthalmic Instruments

- Fully disposable
- Ergonomic handle with actuation from two sides
- Non reflective instrument shaft
- Color coded handles for gauge identification
- 20G, 23G, 25G, 27G



20G



23G



25G



27G



Endgripping Forceps

65023S-12 23G
65025S-12 25G

STERILE   = 12

NEW!

SUI13-12 27G



Asymmetric Peeling Forceps


SUI03-12 23G
SUI05-12 25G

STERILE   = 12



ILM Forceps

SUI09-12 20G
SUI07-12 23G
SUI08-12 25G

STERILE   = 12



Serrated Forceps

SUI10-12 20G
SUI11-12 23G
SUI12-12 25G

STERILE   = 12

NEW!

SUI14-12 27G



Membrane Picks

SUK01 23G

STERILE   = 8



SUK02 25G

STERILE   = 8



Bipolar Erasers

E7928 Scleral Bipolar Eraser,
Lemos Type Connector

STERILE   = 12



20G

E7929 20G Bipolar Eraser, Tapered,
Lemos Type Connector

STERILE   = 12



23G

E7930 23G Bipolar Eraser, Tapered,
Lemos Type Connector

STERILE   = 12



25G

E7926 25G Bipolar Eraser, Tapered,
Lemos Type Connector

STERILE   = 12



NEW!

27G

E7932 27G Bipolar Eraser, Tapered,
Lemos Type Connector

STERILE   = 12



CX9430 Reusable Bipolar Cord
with Lemos Connector



Selected sterile single use instruments are available as component of a **Per Procedure Tray**.

The Per Procedure Tray is a complete kit of sterile single use instruments selected by you. Assemble your individual kit of sterile single use instruments with the online Per Procedure Tray Configurator. For more information visit: www.storzeye.eu



Aspiration Handpieces

SUJ03 23G Passive Aspiration Handpiece. 1.5mm soft tip cannula. **STERILE**   = 12



SUJ02 25G Passive Aspiration Handpiece. 1.5mm soft tip cannula. **STERILE**   = 12



SUJ06 23G Passive Aspiration Handpiece. Blunt needle. **STERILE**   = 12





SUJ07 25G Passive Aspiration Handpiece. Blunt needle. **STERILE**   = 12




SUJ08 20G Backflush/Extrusion Handpiece. Blunt tip. Grey color code ring. **STERILE**   = 6





SUJ09 20G Backflush/Extrusion Handpiece. Soft tip brush. Grey color code ring. **STERILE**   = 6





SUJ10 20G Backflush/Extrusion Handpiece. Soft tip. Grey color code ring. **STERILE**   = 6



SUJ11 23G Backflush/Extrusion Handpiece. Blunt tip. Green color code ring. **STERILE**   = 6



SUJ12 23G Backflush/Extrusion Handpiece. Soft tip brush. Green color code ring. **STERILE**   = 6



SUJ13 23G Backflush/Extrusion Handpiece. Soft tip. Green color code ring. **STERILE**   = 6



SUJ14 25G Backflush/Extrusion Handpiece. Blunt tip. Blue color code ring. **STERILE**   = 6



NEW!

SUJ17 27G Backflush/Extrusion Handpiece. Blunt tip. Magenta color code ring. **STERILE**   = 6



MVR Knives

LaseredgePlus®

LP7519 19G MVR Blade A: 1.37mm **STERILE**   = 6

LP7520 20G MVR Blade A: 1.2mm **STERILE**   = 6



Synergetics® Pinnacle 360°™

Pinnacle 360° is our high quality line of fully disposable, hand-held retinal surgical instruments.

- Offers wide variety of disposable tip options
- Fully disposable
- 360° actuation to approach the retina from any angle
- Color coded handles for gauge identification
- 20G, 23G, 25G, 27G, Foreign Body



Pinnacle 360°

20G 

23G 

25G 

27G 

Foreign Body 

ILM Forceps

Eckardt Forceps

39.08PIN 20G
39.08.23PIN 23G
39.08.25PIN 25G
39.08.27PIN 27G



End-Grasping Forceps

09.12PIN 20G
09.12.23PIN 23G
09.12.25PIN 25G



NEW!

Reddy End-Grasping Forceps

39.32.23PIN 23G
39.32.25PIN 25G



Fine Tip Eckardt Forceps

09.10.23PIN 23G
09.10.25PIN 25G



Microserrated™ End-Grasping Forceps

39.12.23PIN 23G
39.12.25PIN 25G



Tano Asymmetrical Micro Forceps

39.03.23PIN 23G
39.03.25PIN 25G
39.03.27PIN 27G



Heavy Membrane Forceps

Pyramid Tip Forceps

11.04.23PIN 23G
11.04.25PIN 25G



Serrated Jaw Forceps

11.06.23PIN 23G
11.06.25PIN 25G



Dual Purpose Forceps

Apte Corset Forceps

39.07.23PIN 23G
39.07.25PIN 25G



Microserrated™ Tewari Omnicep Forceps

39.15.23PIN 23G
39.15.25PIN 25G



NEW!

39.15.27PIN 27G



Foreign Body

BB Removal Forceps

11.40PIN 18G



Foreign Body Forceps

11.20PIN 19G



Foreign Body Magnet

12.21PIN 18G



Pick Forceps

Pick Forceps

09.05.23PIN 23G
09.05.25PIN 25G



Scissors

Horizontal Scissors Curved

23.76PIN 20G
23.76.23PIN 23G
23.76.25PIN 25G



Morris Vertical Scissors

10.24PIN 20G
10.24.23PIN 23G
10.24.25PIN 25G



Myopic Forceps

Fine Tip Eckardt Forceps

09.10.23PIN-M 23G
09.10.25PIN-M 25G
• 37mm



Microserrated™ Tewari Omnicep Forceps

39.15.23PIN-M 23G
39.15.25PIN-M 25G
• 37mm



DDMS™ Diamond Dusted Membrane Scrapers

Tano

2004 20G
2004.23 23G
2004.25S (Stiff) 25G

STERILE   = 5

NEW!

2004.27 27G



Retractable Tano

2016 20G
2016.23 23G
2016.25 25G

STERILE   = 3

STERILE   = 5

STERILE   = 5



Bipolar

Bipolar Cautery

53.00.23 23G
53.00.25 25G
53.00.27 27G

STERILE   = 6



Visco Dissector

Hubbard Visco Dissector

12.06.25 25G 28G Tip

• Injects viscoelastic for delaminating large membranes from the retina

STERILE   = 6



NEW!

12.06.27 27G

• Injects viscoelastic for delaminating large membranes from the retina

STERILE   = 6



Backflush

D31.08.23

23G Silicon Tip active backflush

STERILE   = 5

D31.08.25

25G Silicon Tip active backflush

STERILE   = 5



Subretinal Cannula

12.03.25

Subretinal cannula 25G tip 41G

STERILE   = 5



Soft tip cannula

30.08.23

23G Soft tip cannula

STERILE   = 6

30.08.25

25G Soft tip cannula

STERILE   = 6

30.08.27

27G Soft tip cannula

STERILE   = 6



NEW!

BL7600 Universal viscous fluid control pack

STERILE   = 6



BL7623 High Flow VFI Cannula 23G

STERILE   = 6



BL7625 High Flow VFI Cannula 25G

STERILE   = 6



VRL100 DK-Line® 5ml

STERILE   = 1

VRL110 DK-Line® 7ml

STERILE   = 1



VRL200 Okta-Line® 5ml

STERILE   = 1



VRL500 Oxane® 1300, 10ml Syringe

STERILE   = 1

VRL600 Oxane® 5700, 10ml Syringe

STERILE   = 1







VRL700 Oxane® HD, 10ml Syringe

STERILE   = 1





NEW!

BL5115-1
Adaptive Fluidics™ Premium Pack   = 6
Pulse, Reflux, StableChamber®
2.0 MICS™ needle
2.4mm sleeves X2

BL5115-2
Adaptive Fluidics™ Standard Pack   = 6
Pulse, Reflux, Standard tubing
2.0 MICS™ needle
2.4mm sleeves X2

BL5115-3
Adaptive Fluidics™ MICS Premium Packs   = 6
Pulse, Reflux, StableChamber®
2.0 MICS™ needle
MICS sleeves X2

BL5115-4
Adaptive Fluidics™ Basic Pack   = 6
No Pulse, Reflux, Standard tubing
MICS™ sleeve

Phaco Tips for MICS™ Surgery

RIS: Recommended Incision Size in Coaxial
OD: Outer Diameter
ID: Inner Diameter

Single Use


BL3318S MICS™ needle 1.8   = 6



BL3318AS MICS™ needle 1.8 angled 30°   = 6




RIS: 1.8-2.00mm OD: 0.74-0.95mm ID: 0.5-0.79mm

BL3420S 2.0 MICS™ needle   = 6

BL3420AS 2.0 MICS™ needle angled 30°



BL3118 Kit of 2 SU MICS™ Sleeves   = 12




BL3124S Kit of 2 SU Sleeves 2.4mm surgery   = 12



Stellaris® System Coaxial I/A Handpieces

85794ST MICS™ I/A Handpiece, curved shaft with sleeve for 1.8mm incision   = 12



85795ST MICS™ I/A Handpiece, 45° angled tip with sleeve for 1.8mm incision   = 12



Stellaris® System CapsuleGuard® I/A Coaxial Handpieces

85914ST CapsuleGuard® I/A Handpiece MICS® Straight Tip - Incisions: sub 2.0mm   = 12



85915ST CapsuleGuard® I/A Handpiece MICS® 45° Tip - Incisions: sub 2.0mm   = 12



Stellaris® System Biaxial I/A Handpieces Aspiration

85901S19 Aspiration Handpiece 19G (Ø 1.07mm)   = 12

85901S20 Aspiration Handpiece 20G (Ø 0.89mm)   = 12

85780S Aspiration Handpiece 21G (Ø 0.8mm)   = 12

85790S Aspiration Handpiece 22G (Ø 0.7mm)   = 12

85792S Aspiration Handpiece 23G (Ø 0.6mm)   = 12



curved shaft roughened tip

Stellaris® System Biaxial I/A Handpieces Irrigation

85902ST19 1.8mm B-MICS 19G (Ø 1.07mm) Irrigation Handpiece   = 12

85787ST 21G Irrigation Handpiece (Ø 0.8mm)   = 12

85806ST 22G Irrigation Handpiece (Ø 0.7mm)   = 12

85807ST 23G Irrigation Handpiece (Ø 0.6mm)   = 12



curved shaft smooth tip

Stellaris® System Coaxial Zero Phaco Handpieces

SUP01ST Stellaris® System MICS™ Zero Phaco Handpiece 1.8mm   = 12

For aspirating softened nuclei during femtosecond cataract surgery. Designed with an open port aspiration tube with 30° bevel. Recommended for use in a 1.8 mm incision. Designed for use with the Stellaris® System.



SUP06ST Stellaris® System Zero Phaco Handpiece 2.2mm   = 12

For aspirating softened nuclei during femtosecond cataract surgery. Designed with an open port aspiration tube with 30° bevel. Recommended for use in a 2.2mm incision. Designed for use with the Stellaris® System.



SUP05 Zero Phaco Aspiration Handpiece 21G (0.8mm).   = 12

Bimanual aspiration handpiece, designed with an open port aspiration tube for aspirating softened nuclei during Femtosecond cataract surgery. 30° tapered tip. For use with 85787ST - Irrigation Handpiece 21G.




*Only for Stellaris ELITE™ Anterior (2500 cpm)


| Product Reference | Product Name | Page | Product Reference | Product Name | Page |
|---------------------|---|------|-------------------|---|------|
| 09.05.23PIN | Pick Forceps 23G | 17 | 85792S | Aspiration Handpiece 23G | 21 |
| 09.05.25PIN | Pick Forceps 25G | 17 | 85794ST | MICS® I/A Handpiece, Curved Shaft | 21 |
| 09.10.23PIN | Fine Tip Eckardt Forceps 23G | 16 | 85795ST | MICS® I/A Handpiece, 45° Angled Tip | 21 |
| 09.10.23PIN-M | Fine Tip Eckardt Forceps 23G, 37mm | 17 | 85806ST | 22G Irrigation Handpiece (Ø 0.7mm) | 21 |
| 09.10.25PIN | Fine Tip Eckardt Forceps 25G | 16 | 85807ST | 23G Irrigation Handpiece (Ø 0.6mm) | 21 |
| 09.10.25PIN-M | Fine Tip Eckardt Forceps 25G, 37mm | 17 | 85901S19 | Aspiration Handpiece 19G | 21 |
| 09.12.23PIN | End-Grasping Forceps 23G | 16 | 85901S20 | Aspiration Handpiece 20G | 21 |
| 09.12.25PIN | End-Grasping Forceps 25G | 16 | 85902ST19 | 1.8mm B-MICS 19G (Ø 1.07mm) Irrigation Handpiece | 21 |
| 09.12PIN | End-Grasping Forceps 20G | 16 | 85914ST | CapsuleGuard® I/A Handpiece MICS® Straight Tip | 21 |
| 10.24.23PIN | Morris Vertical Scissors 23G | 17 | 85915ST | CapsuleGuard® I/A Handpiece MICS® 45° Tip | 21 |
| 10.24.25PIN | Morris Vertical Scissors 25G | 17 | BL14455 | Stellaris ELITE™ without integrated laser | 4 |
| 10.24PIN | Morris Vertical Scissors 20G | 17 | BL15455 | Stellaris ELITE™ with integrated laser | 4 |
| 11.20PIN | Foreign Body Forceps 19G | 17 | BL2272 | Laser Upgrade Kit | 10 |
| 11.40PIN | BB Removal Forceps 18G | 17 | BL2296 | Auxiliary Footpedal for LIO Use | 11 |
| 12.03.25 | Subretinal Cannula 25G, 41G Tip | 18 | BL2298 | TruFocus LIO Premiere™ with LED illumination | 11 |
| 12.06.25 | Hubbard Visco Dissector 25G, 28G Tip | 18 | BL2300HD | DMS (Digital Media System) | 4 |
| 12.06.27 | Hubbard Visco Dissector 27G | 18 | BL2394 | Stellaris ELITE™ Integrated Foot Pedal | 4 |
| 12.21PIN | Foreign Body Magnet 18G | 17 | BL2394 | Integrated Foot Pedal | 10 |
| 20.04 | Tano 20G | 18 | BL3118 | Kit of 2 SU MICS™ Sleeves | 20 |
| 20.04.23 | Tano 23G | 18 | BL3124S | Kit of 2 SU Sleeves, 2.4 SURGERY | 20 |
| 20.04.25S (Stiff) | Tano 25G | 18 | BL3170 | Stellaris Phaco Handpiece | 5 |
| 20.04.27 | Tano 27G | 18 | BL3234 | Laser On/Off Keys (1 set) | 10 |
| 20.16 | Retractable Tano 20G | 18 | BL3235 | Laser Safety Goggles | 10 |
| 20.16.23 | Retractable Tano 23G | 18 | BL3236 | Zeiss Fixed ESF | 10 |
| 20.16.25 | Retractable Tano 25G | 18 | BL3237 | Leica Fixed ESF | 10 |
| 23.76.23PIN | Horizontal Scissors Curved 23G | 17 | BL3239 | Laser Filter ESF Mount Topcon | 10 |
| 23.76.25PIN | Horizontal Scissors Curved 25G | 17 | BL3240 | Zeiss 2 Position Filter ESF | 10 |
| 23.76PIN | Horizontal Scissors Curved 20G | 17 | BL3241 | Leica 2 Position Filter ESF | 10 |
| 30.08.23 | Soft Tip Cannula 23G | 18 | BL3242 | Adaptor for Fitting of 2 Position Filters | 10 |
| 30.08.25 | Soft Tip Cannula 25G | 18 | BL3244 | Interlock Bypass Connector Kit | 10 |
| 30.08.27 | Soft Tip Cannula 27G | 18 | BL3245 | Moeller Wedel Fixed ESF | 10 |
| 30.35 | Freeflow Infusion Line | 28 | BL3246 | LIO Replacement Bulb | 10 |
| 39.03.23PIN | Tano Asymmetrical Micro Forceps 23G | 16 | BL3247 | Leica 4-way Filter | 10 |
| 39.03.25PIN | Tano Asymmetrical Micro Forceps 25G | 16 | BL3270 | Fragmentation Handpiece | 5 |
| 39.03.27PIN | Tano Asymmetrical Micro Forceps 27G | 16 | BL3318AS | MICS® Needle 1.8 Angled 30° Single Use | 20 |
| 39.08.23PIN | Eckardt Forceps 23G | 16 | BL3318S | MICS® Needle 1.8 Single Use | 20 |
| 39.08.25PIN | Eckardt Forceps 25G | 16 | BL3320 | Xenon Lamp Replacement | 5 |
| 39.08.27PIN | Eckardt Forceps 27G | 16 | BL3321 | Mercury Lamp Replacement | 5 |
| 39.08PIN | Eckardt Forceps 20G | 16 | BL3394 | Handle Extension | 8 |
| 39.12.23PIN | Microserrated™ End-Grasping Forceps 23G | 16 | BL3420S | 2.0 MICS® Needle | 20 |
| 39.12.25PIN | Microserrated™ End-Grasping Forceps 25G | 16 | BL3420AS | 2.0 MICS® Needle, Angled 30° | 20 |
| 39.15.23PIN-M | Microserrated™ Tewari Omnicep Forceps 23G, 37mm | 17 | BL4363 | Stellaris ELITE™ Zero Level Bottle Hanger - Dual Bottle | 4 |
| 39.15.25PIN-M | Microserrated™ Tewari Omnicep Forceps 25G, 37mm | 17 | BL4364 | Stellaris ELITE™/Stellaris Mayo Tray Adapter | 5 |
| 39.32.23PIN | Reddy End-Grasping forceps 23G | 16 | BL4390 | Foot Control Battery | 4 |
| 39.32.25PIN | Reddy End-Grasping forceps 25G | 16 | BL4391 | Foot Control Wall Charger | 4 |
| 53.00.23 | Bipolar Cautery 23G | 18 | BL4393 | Foot Control Charging Cradle | 4 |
| 53.00.25 | Bipolar Cautery 25G | 18 | BL4394 | Foot Control Power Cable | 4 |
| 53.00.27 | Bipolar Cautery 27G | 18 | BL5115-1 | Adaptive Fluidics™ Premium Pack | 20 |
| 55.25.23 | Flexible Tapered Laser Probe 23G | 11 | BL5115-2 | Adaptive Fluidics™ Standard Pack | 20 |
| 55.25.25 | Flexible Tapered Laser Probe 25G | 11 | BL5115-3 | Adaptive Fluidics™ MICS Premium Packs | 20 |
| 55.26 | Directional™ Laser Probe 20G | 11 | BL5115-4 | Adaptive Fluidics™ Basic Pack | 20 |
| 55.26.23 | Directional™ Laser Probe 23G | 11 | BL5234 | Adjustable Chandelier 23G | 9 |
| 55.26.25/ 55.26.25S | Directional™ Laser Probe 25G | 11 | BL5235 | Adjustable Chandelier 25G | 9 |
| 55.26.27 | Directional™ Laser Probe 27G | 11 | BL5235S | Vivid Chandelier 25G | 9 |
| 65023S-12 | Endgripping Forceps 23G | 12 | BL5237S | Vivid Chandelier 27G | 9 |
| 65025S-12 | Endgripping Forceps 25G | 12 | BL5240 | 27G ESA Kit-Valved (kit of 3) | 8 |
| 85780S | Aspiration Handpiece 21G | 21 | BL5241 | 27G Single Trocar-Valved | 8 |
| 85787ST | 21G Irrigation Handpiece (Ø 0.8mm) | 21 | BL5275 | 20G Fragmentation Needle 15° | 5 |
| 85790S | Aspiration Handpiece 22G | 21 | BL5277 | 23G Fragmentation Needle 30° | 5 |


| Product Reference | Product Name | Page | Product Reference | Product Name | Page |
|---------------------|--|------|-------------------|--|------|
| BL5280 | Dual Infusion Kit | 6 | SUP05 | Zero Phaco Aspiration Handpiece 21G (0.8mm) | 21 |
| BL5281 | 23G ESA Kit-Valved (kit of 3) | 8 | SUP06ST | Stellaris® System Zero Phaco Handpiece 2.2mm | 21 |
| BL5282 | 25G ESA Kit-Valved (kit of 3) | 8 | VRL100 | DK-Line® 5ml | 19 |
| BL5283 | 23G Single Trocar-Valved | 8 | VRL110 | DK-Line® 7ml | 19 |
| BL5284 | 23G Replacement Valves | 8 | VRL200 | Okta-Line® 5ml | 19 |
| BL5285 | 25G Single Trocar-Valved | 8 | VRL500 | Oxane® 1300, 10ml Syringe | 19 |
| BL5286 | 25G Replacement Valves | 8 | VRL600 | Oxane® 5700, 10ml Syringe | 19 |
| BL5823M | Mid-Field 23G | 9 | VRL700 | Oxane® HD, 10ml Syringe | 19 |
| BL5823D | Diffuse Wide Angle 23G | 9 | | | |
| BL5825M | Mid-Field 25G | 9 | | | |
| BL5825D | Diffuse Wide Angle 25G | 9 | | | |
| BL5827M | Mid-Field 27G | 9 | | | |
| BL7600 | Universal Viscous Fluid Control Pack | 19 | | | |
| BL7623 | High Flow VFI Cannula 23G | 19 | | | |
| BL7625 | High Flow VFI Cannula 25G | 19 | | | |
| CX9430 | Reusable Bipolar Cord with Lemosa Connector | 13 | | | |
| D31.08.23 | 23G Silicon Tip Active Backflush | 18 | | | |
| D31.08.25 | 25G Silicon Tip Active Backflush | 18 | | | |
| E7926 | Bipolar Eraser 25G, Tapered, Lemosa Type Connector | 13 | | | |
| E7928 | Scleral Bipolar Eraser | 13 | | | |
| E7929 | Bipolar Eraser 20G | 13 | | | |
| E7930 | Bipolar Eraser 23G | 13 | | | |
| E7932 | Bipolar Eraser, Tapered, Lemosa type connector 27G | 13 | | | |
| LP7519 | LaseredgePlus® 19G MVR Blade | 14 | | | |
| LP7520 | LaseredgePlus® 20G MVR Blade | 14 | | | |
| SE5423MVB/SE5423WVB | Bi-Blade® 25G Posterior Pack | 7 | | | |
| SE5425MVB/SE5425WVB | Bi-Blade® 25G Posterior Pack | 7 | | | |
| SE5427MVB | Bi-Blade® 27G Posterior Pack | 7 | | | |
| SE5523MVB/SE5523WVB | Bi-Blade® 23G Combined Pack | 6 | | | |
| SE5525MVB/SE5525WVB | Bi-Blade® 25G Combined Pack | 6 | | | |
| SE5527MVB | Bi-Blade® 27G Combined Pack | 6 | | | |
| SE5623B | Bi-Blade® 23G Vitrectomy cutter | 8 | | | |
| SE5625B | Bi-Blade® 25G Vitrectomy cutter | 8 | | | |
| SE5627B | Bi-Blade® 27G Vitrectomy cutter | 8 | | | |
| SUI03-12 | Asymmetric Peeling Forceps 23G | 12 | | | |
| SUI05-12 | Asymmetric Peeling Forceps 25G | 12 | | | |
| SUI07-12 | ILM Forceps 23G | 12 | | | |
| SUI08-12 | ILM Forceps 25G | 12 | | | |
| SUI09-12 | ILM Forceps 20G | 12 | | | |
| SUI10-12 | Serrated Forceps 20G | 12 | | | |
| SUI11-12 | Serrated Forceps 23G | 12 | | | |
| SUI12-12 | Serrated Forceps 25G | 12 | | | |
| SUI13-12 | SEndgripping Forceps 27G | 12 | | | |
| SUI14-12 | Serrated Forceps 27G | 12 | | | |
| SUJ02 | Passive Aspiration Handpiece. 1.5mm Soft Tip Cannula 25G | 14 | | | |
| SUJ03 | Passive Aspiration Handpiece. 1.5mm Soft Tip Cannula 23G | 14 | | | |
| SUJ06 | Passive Aspiration Handpiece. Blunt Needle 23G | 14 | | | |
| SUJ07 | Passive Aspiration Handpiece. Blunt Needle 25G | 14 | | | |
| SUJ08 | Backflush/Extrusion Handpiece. Blunt Tip 20G | 14 | | | |
| SUJ09 | Backflush/Extrusion Handpiece. Soft Tip Brush 20G | 14 | | | |
| SUJ10 | Backflush/Extrusion Handpiece. Soft Tip 20G | 14 | | | |
| SUJ11 | Backflush/Extrusion Handpiece. Blunt Tip 23G | 14 | | | |
| SUJ12 | Backflush/Extrusion Handpiece. Soft Tip brush 23G | 14 | | | |
| SUJ13 | Backflush/Extrusion Handpiece. Soft Tip 23G | 14 | | | |
| SUJ14 | Backflush/Extrusion Handpiece. Blunt Tip 25G | 14 | | | |
| SUJ17 | Backflush/Extrusion Handpiece. Blunt Tip 27G | 14 | | | |
| SUK01 | Membrane Pick 23G | 13 | | | |
| SUK02 | Membrane Pick 25G | 13 | | | |
| SUP01ST | Stellaris® System MICS™ Zero Phaco Handpiece 1.8mm | 21 | | | |

[Lined writing area for page 26]

[Lined writing area for page 27]

 @BauschSurgical

 Bausch + Lomb Surgical

 www.bauschsurgical.eu

Please contact your local representative for more information on Bausch + Lomb Retina products.

© 2020 Bausch & Lomb Incorporated.